References

1. Berntorp E, Berntorp K, Brorson H, Frick K. Liposuction in Dercum's disease: Impact on haemostatic factors associated with cardiovascular disease and insulin sensitivity. J Intern Med. 1998;243:197–201. [PubMed]

2. González-Ortiz M, Robles-Cervantes JA, Cárdenas-Camarena L, Bustos-Saldaña R, Martínez-Abundis E. The effects of surgically removing subcutaneous fat on the metabolic profile and insulin sensitivity in obese women after large-volume liposuction treatment. Horm Metab Res. 2002;34:446–449. [PubMed]

3. Rao RB, Ely SF, Hoffman RS. Deaths related to liposuction. N Engl J Med. 1999;340:1471–1475. [PubMed]

4. Cardenas-Camarena L. Lipoaspiration and its complications: A safe operation. Plast Reconstr Surg. 2003;112:1435–1441; discussion 1442-1433. [PubMed]

5. Thomas M, Menon H, D'Silva J. Surgical complications of lipoplasty: Management and preventive strategies. J Plast Reconstr Aesthet Surg. 2010;63:1338–1343. [PubMed]

6. Fischer JP, Wes AM, Serletti JM, Kovach SJ. Complications in body contouring procedures: An analysis of 1797 patients from the 2005 to 2010 American College of Surgeons National Surgical Quality Improvement Program databases. Plast Reconstr Surg. 2013;132:1411–1420. [PubMed]

7. Mulholland RS, Paul MD, Chalfoun C. Noninvasive body contouring with radiofrequency, ultrasound, cryolipolysis, and low-level laser therapy. Clin Plast Surg. 2011;38:503–520, vii. [PubMed]

8. Duncan WC, Freeman RG, Heaton CL. Cold panniculitis. Arch Dermatol. 1966;94:722–724. [PubMed]

9. Epstein EH, Jr, Oren ME. Popsicle panniculitis. N Engl J Med. 1970;282:966–967. [PubMed]

10. Rotman H. Cold panniculitis in children: Adiponecrosis E frigore of Haxthausen. Arch Dermatol. 1966;94:720–721. [PubMed]

11. Dover J, Kaminer M, Teahan M, Barrett L. Patient satisfaction at 2 and 6 months after a single non-invasive cryolipolysis treatment for subcutaneous fat layer reduction. Lasers Surg Med. 2011;43:968.

12. Boey GE, Wasilenchuk JL. Enhanced clinical outcome with manual massage following cryolipolysis treatment: A 4-month study of safety and efficacy. Lasers Surg Med. 2014;46:20–26. [PMC free article] [PubMed] 13. Shek SY, Chan NP, Chan HH. Non-invasive cryolipolysis for body contouring in Chinese: A first commercial experience. Lasers Surg Med. 2012;44:125–130. [PubMed]

14. Bernstein EF. Longitudinal evaluation of cryolipolysis efficacy: Two case studies. J Cosmet Dermatol. 2013;12:149–152. [PubMed]

15. Ferraro GA, De Francesco F, Cataldo C, Rossano F, Nicoletti G, D'Andrea F. Synergistic effects of cryolipolysis and shock waves for noninvasive body contouring. Aesthetic Plast Surg. 2012;36:666–679. [PubMed]

16. Lee KR. Clinical efficacy of fat reduction on the thigh of Korean women through cryolipolysis. J Obes Weight Loss. 2013;3:1–5.

17. Riopelle JT, Kovach B. Lipid and liver function effects of the cryolipolysis procedure in a study of male love handle reduction. Lasers Surg Med. 2009;82

18. Dierickx CC, Mazer JM, Sand M, Koenig S, Arigon V. Safety, tolerance, and patient satisfaction with noninvasive cryolipolysis. Dermatol Surg. 2013;39:1209–1216. [PubMed]

Garibyan L, Sipprell WH, III, Jalian HR, Sakamoto FH, Avram M, Anderson RR. Three-dimensional volumetric quantification of fat loss following cryolipolysis. Lasers Surg Med. 2014;46:75–80. [PMC free article] [PubMed]
 Sasaki GH, Abelev N, Tevez-Ortiz A. Noninvasive selective cryolipolysis

and reperfusion recovery for localized natural fat reduction and contouring. Aesthet Surg J. 2014;34:420–431. [PubMed]

21. Coleman SR, Sachdeva K, Egbert BM, Preciado J, Allison J. Clinical efficacy of noninvasive cryolipolysis and its effects on peripheral nerves. Aesthetic Plast Surg. 2009;33:482–488. [PubMed]

22. Kaminer MW, Newman J, Allison J. Visible cosmetic improvement with cryolipolysis: Photographic evidence. Paper presented at: 2009 Annual Meeting of the American Society for Dermatologic Surgery; October 1-4, 2009; Phoenix, Ariz.

23. Pinto HR, Garcia-Cruz E, Melamed GE. A study to evaluate the action of lipocryolysis. Cryo Letters. 2012;33:177–181. [PubMed]

24. Jalian HR, Avram MM, Garibyan L, Mihm MC, Anderson RR. Paradoxical adipose hyperplasia after cryolipolysis. JAMA Dermatol. 2014;150:317–319. [PMC free article] [PubMed]

25. Dobke MK, Hitchcock T, Misell L, Sasaki GH. Tissue restructuring by energy-based surgical tools. Clin Plast Surg. 2012;39:399–408. [PubMed]
26. Jalian HR, Avram MM. Cryolipolysis: A historical perspective and current clinical practice. Semin Cutan Med Surg. 2013;32:31–34. [PubMed]
27. Pinto H, Arredondo E, Ricart-Jane D. Evaluation of adipocytic changes after a simil-lipocryolysis stimulus. Cryo Letters. 2013;34:100–105. [PubMed]
28. Preciado JA, Allison JW. The effect of cold exposure on adipocytes: Examining a novel method for the non-invasive removal of fat. Cryobiology. 2008;57:327.

29. Avram MM, Harry RS. Cryolipolysis for subcutaneous fat layer reduction. Lasers Surg Med. 2009;41:703–708. [PubMed]

30. Cohen SR, Weiss ET, Brightman LA, et al. Quantitation of the results of abdominal liposuction. Aesthet Surg J. 2012;32:593–600. [PubMed]

31. Selkow NM, Pietrosimone BG, Saliba SA. Subcutaneous thigh fat assessment: A comparison of skinfold calipers and ultrasound imaging. J Athl Train. 2011;46:50–54. [PMC free article] [PubMed]

32. Stevens WG, Pietrzak LK, Spring MA. Broad overview of a clinical and commercial experience with CoolSculpting. Aesthet Surg J. 2013;33:835–846. [PubMed]

33. Brightman L, Geronemus R. Can second treatment enhance clinical results in cryolipolysis? Cosmetic Derm. 2011;24:85–88.

34. Dover J, Burns J, Coleman S, et al. A prospective clinical study of noninvasive cryolypolysis for subcutaneous fat layer reduction—Interim report of available subject data. Presented at the Annual Meeting of the American Society for Laser Medicine and Surgery; April 2009; National Harbor, Md.
35. Klein KB, Zelickson B, Riopelle JG, et al. Non-invasive cryolipolysis for subcutaneous fat reduction does not affect serum lipid levels or liver function tests. Lasers Surg Med. 2009;41:785–790. [PubMed]

36. Rosales-Berber IA, Diliz-Perez E. Controlled cooling of subcutaneous fat for body reshaping. Presented at the 15th World Congress of the International Confederation for Plastic, Reconstructive and Aesthetic Surgery; 2009; New Delhi, India.

37. Krueger, Nils, Mai, Sophia V., Luebberding, Stefanie, and Sadick, Neil S., 'Cryolipolysis for non-invasive body contouring: clinical efficacy and patient satisfaction', Clinical, Cosmetic and Investigational Dermatology, 7 (2014), pp. 201–05.

38. Coleman S.R., Sachdeva K., Egbert B.M., Preciado J., Allison J., 'Clinical efficacy of non-invasive cryolipolysis and its effects on peripheral nerves', Aesthetic Plastic Surgery, 33 (4) (2009), pp. 482–88.

39. Dierickx C.C., Mazer J.M., Sand M., Koenig S., Arigon V., 'Safety, tolerance, and patient satisfaction with non-invasive cryolipolysis', Dermatologic Surgery, 39 (8) (2013), pp. 1209-16

40. Zelickson B., Egbert B.M., Preciado J., Allison J., Springer K., Rhoades R.W., and Manstein D., 'Cryolipolysis for non-invasive fat cell destruction: initial results from a pig model', Dermatologic Surgery, (10) (2009), pp. 1462–70. 41. Stevens, W. Grant, Pietrzak, Laura K., and Spring, Michelle A., 'Broad overview of a clinical and commercial experience with CoolSculpting', Aesthetic Surgery Journal, 33 (6) (2013), pp. 835–46.

42. Avram M.M., and Harry R.S., 'Cryolipolysis for subcutaneous fat layer reduction', Lasers in Surgery and Medicine, 41 (10) (2009), pp. 703–08; Nelson A.A., Wasserman D., Avram M.M., 'Cryolipolysis for reduction of excess adipose tissue', Seminars in Cutaneous Medicine and Surgery, 28 (4) (2009), pp. 244–49.

43. Stevens, W. Grant; and Bachelor, Eric P., 'Cryolipolysis conformablesurface applicator for nonsurgical fat reduction in lateral thighs', Aesthetic Surgery Journal, 35 (1) (2015), pp. 66–71; Zelickson, Brian D., Burns, A. Jay, and Kilmer, Suzanne L., 'Cryolipolysis for safe and effective inner thigh fat reduction', Lasers in Surgery and Medicine 47 (2015), pp. 120–27.

44. Munavalli, Girish S., and Panchaprateep, Ratchathorn, 'Cryolipolysis for targeted fat reduction and improved appearance of the enlarged male breast', Dermatologic Surgery, 41 (9) (2015), pp. 1043–51.

45. Kilmer S. Safety and Efficacy of Cryolipolysis for Non-Invasive Reduction of Submental Fat. Lasers in Surgery and Medicine. 2016; 48:3-13.

46. Manstein D., Laubach H., Watanabe K., Farinelli W., Zurakowski D., and Anderson R.R., 'Selective cryolysis: a novel method of non-invasive fat removal', Lasers in Surgery and Medicine, 40 (9) (2008), pp. 595–604; Zelickson et al (2009).

47. Derrick, Chase D., Shridharani, Sachin M., and Broyles, Justin M., 'The safety and efficacy of cryolipolysis: a systematic review of available literature', review article, Aesthetic Surgery Journal, 35 (7) (2015), pp. 830–36;

48. Ingargiola, Michael J., Motakef, Saba, Chung, Michael T., Vasconez, Henry C., and Sasaki, Gordon H., 'Cryolipolysis for fat reduction and body contouring: safety and efficacy of current treatment paradigms', Plastic and Reconstructive Surgery, 135 (6) (2015), pp. 1581–90;

49. Manstein et al (2008); Zelickson et al (2009); Klein K.B., Zelickson B., Riopelle J.G., Okamoto E., Bachelor E.P., Harry R.S., Preciado J.A., 'Noninvasive cryolipolysis for subcutaneous fat reduction does not affect serum lipid levels or liver function tests', Lasers in Surgery and Medicine, 41(10) (2009), pp.785–90.

50. Keaney, Terrence C., Gudas, Amber Tario, and Alster, Tina S., 'Delayed onset pain associated with cryolipolysis treatment: a retrospective study with treatment recommendations, Dermatologic Surgery, 41 (11) (2015), pp. 1296–99.

51. Jalian, H. Ray, Avram, Mathew M., Garibyan, Lilit, Mihm, Martin C., and Anderson, R. Rox, 'Paradoxical adipose hyperplasia after cryolipolysis', JAMA Dermatology, 150 (3) (2014), pp.317–19.

•••